VOLUME 39

LIST OF CONTENTS

Number 1

Co-occurrence of 12-month mood and anxiety disorders and personality disorders in the US: results from the national epidemiologic survey on alcohol and related conditions

B.F. Grant, D.S. Hasin, F.S. Stinson, D.A. Dawson, S.P. Chou, W.J. Ruan and B. Huang 1

Dimensions of intelligence in schizophrenia: evidence from patients with preserved, deteriorated and compromised intellect

J.C. Badcock, M. Dragovic, F.A.V. Waters and A. Jablensky 11

The Munich vulnerability study on affective disorders: premorbid neuroendocrine profile of affected high-risk probands

M. Ising, C.J. Lauer, F. Holsboer and S. Modell 21

Proton magnetic resonance spectroscopy (1H-MRS) of hippocampus, basal ganglia, and vermis of cerebellum in schizophrenia associated with idiopathic unconjugated hyperbilirubinemia (Gilbert's syndrome)

T. Miyaoka, R. Yasukawa, S. Mizuno, T. Sukegawa, T. Inagaki, J. Horiguchi, H. Seno, K. Oda and H. Kitagaki 29

Elevation of liver enzyme levels during psychopharmacological treatment is associated with weight gain

H. Himmerich, C. Kaufmann, A. Schuld and T. Pollmächer 35

Duloxetine 60 mg once-daily in the treatment of painful physical symptoms in patients with major depressive disorder

S.K. Brannan, C.H. Mallinckrodt, E.B. Brown, M.M. Wohlreich, J.G. Watkin and A.F. Schatzberg 43

Women's sleep in health and disease

A. Dzaja, S. Arber, J. Hislop, M. Kerkhofs, C. Kopp, T. Pollmächer, P. Polo-Kantola, D.J. Skene, P. Stenuit, I. Tobler and T. Porkka-Heiskanen 55

Sex-specific self-reported mood changes by patients with bipolar disorder

N. Rasgon, M. Bauer, P. Grof, L. Gyulai, S. Elman, T. Glenn and P.C. Whybrow 77

Affective dysregulation and dissociative experience in female patients with borderline personality disorder: a startle response study

U.W. Ebner-Priemer, S. Badeck, C. Beckmann, A. Wagner, B. Feige, I. Weiss, K. Lieb and M. Bohus 85

Sleep investigations in erectile dysfunction

K. Mann, J. Pankok, B. Connemann, M. Sohn, J.W. Thüroff and O. Benkert 93

Effects of haloperidol and risperidone on psychomotor performance relevant to driving ability in schizophrenic patients compared to healthy controls

M. Soyka, C. Winter, S. Kagerer, M. Brunnauer, G. Laux and H.-J. Möller 101

Aggression and psychopathology in treatment-resistant inpatients with schizophrenia and schizoaffective disorder
K.A. Nolan, J. Volavka, P. Czobor, B. Sheitman, J.-P. Lindenmayer, L.L. Citrome, J. McEvoy and J.A. Lieberman 109

Number 2

Prefrontal atrophy in first episodes of schizophrenia associated with limbic metabolic hyperactivity
V. Molina, J. Sanz, F. Sarramea, C. Benito and T. Palomo 117

Cognitive function over the treatment course of depression in middle-aged patients: correlation with brain MRI signal hyperintensities
P. Neu, M. Bajbouj, A. Schilling, F. Godemann, R.M. Berman and P. Schlattmann 129

Inflammatory markers in depressed post-myocardial infarction patients
S. Annique, T. Dorien, L. Richel, K. Gunter, D. Joris, J.C. Harry, G. Gert, S. Frank, M. Michael and H. Adriaan 137

Severity of depressive symptoms and response to antidepressants and placebo in antidepressant trials
A. Khan, A.E. Brodhead, R.L. Kolts and W.A. Brown 145

Relationship between chronic painful physical condition and insomnia
M.M. Ohayon 151

Onset of action for duloxetine 60 mg once daily: double-blind, placebo-controlled studies
S.K. Brannan, C.H. Mallinckrodt, M.J. Detke, J.G. Watkin and G.D. Tollefson 161

Treatment with a CRH-1-receptor antagonist (R121919) does not affect weight or plasma leptin concentration in patients with major depression
H.E. Künzel, M. Ising, A.W. Zobel, T. Nickel, N. Ackl, A. Sonntag, F. Holsboer and M. Uhr 173

Male-specific association between the 5-HTTLPR S allele and suicide attempts in alcohol-dependent subjects
F. Limosin, J.-Y. Loze, C. Boni, M. Hamon, J. Adès, F. Rouillon and P. Gorwood 179

Effect of bupropion on nocturnal urinary free cortisol and its association with antidepressant response
U. Rao, G.E. Ott, K.-M. Lin, L. Gertsik and R.E. Poland 183

Investigation of the effects of tianeptine and fluoxetine on pentylenetetrazole-induced seizures in rats
M. Ceyhan, H. Kayir and I.T. Uzbay 191

Attentional blink in adolescents with varying levels of impulsivity
C.-s. Ray Li, S.-H. Chen, W.-h. Lin and Y.-Y. Yang 197

Neuropsychological functions in anxiety disorders in population-based samples: evidence of episodic memory dysfunction
E. Airaksinen, M. Larsson and Y. Forsell 207

Word frequency effects on free recall and recognition in patients with schizophrenia
G. Brbion, A.S. David, R.A. Bressan and L.S. Pilowsky 215

Minority research training in psychiatry 223

Number 3
Publisher's note 225

Lack of association between prepulse inhibition and antisaccadic deficits in chronic schizophrenia: implications for identification of schizophrenia endophenotypes
V. Kumari, U. Ettinger, T.J. Crawford, E. Zachariah and T. Sharma 227

Psychometric schizotypy modulates levodopa effects on lateralized lexical decision performance
C. Mohr, P. Krummenacher, T. Landis, P.S. Sandor, M. Fathi and P. Brugger 241

Older schizophrenia patients have more disrupted sleep and circadian rhythms than age-matched comparison subjects
J.L. Martin, D.V. Jeste and S. Ancoli-Israel 251

Extrapyramidal symptoms in unmedicated schizophrenia
R.G. McCreadie, T.N. Srinivasan, R. Padmavati and R. Thara 261

Plasma dehydroepiandrosterone levels are strongly increased in schizophrenia
F. di Michele, C. Caltagirone, G. Bonaviri, E. Romeo and G. Spalletta 267

Prevalence and comorbidity of major depressive disorder in young black and white women
D.L. Franko, D. Thompson, B.A. Barton, F.-A. Dohm, H.C. Kraemer, R. Iachan, P.B. Crawford, G.B. Schreiber, S.R. Daniels and R.H. Striegel-Moore 275

White matter hyperintensities and chronicity of depression
A. Heiden, J. Kettenbach, P. Fischer, B. Schein, A. Ba-Ssalamah, R. Frey, M.M. Naderi, T. Gulesserian, D. Schmid, S. Trattnig, H. Imhof and S. Kasper 285

Cortical excitability in cocaine-dependent patients: a replication and extension of TMS findings
N.N. Boutros, S.H. Lisanby, D. McClain-Furmanski, G. Oliwa, D. Gooding and T.R. Kosten 295

A retrospective study of SSRI treatment in adolescent anorexia nervosa: insufficient evidence for efficacy
K. Holtkamp, K. Konrad, N. Kaiser, Y. Ploenes, N. Heussen, I. Grzella and B. Herpertz-Dahlmann 303

Maternal immune activation leads to behavioral and pharmacological changes in the adult offspring
L. Zuckerman and I. Weiner 311

Verbal and physical non-aggressive agitated behaviors in elderly persons with dementia: robustness of syndromes
J. Cohen-Mansfield and A. Libin 325

fMRI investigation on cue-induced smoking craving
H.-K. Lim, C.-U. Pae, R.-H. Joo, S.-S. Yoo, B.-G. Choi, D.-J. Kim, C. Lee and C.-U. Lee 333

Number 4

Increased volume of the pigmented neurons in the locus coeruleus of schizophrenic subjects. A stereological study

L. Marner, C. Sborg and B. Pakkenberg 337

Anatomical MRI study of corpus callosum in unipolar depression

A.L.T. Lacerda, P. Brambilla, R.B. Sassi, M.A. Nicoletti, A.G. Mallinger, E. Frank, D.J. Kupfer, M.S. Keshavan and J.C. Soares 347

Lithium and valproic acid treatments reduce PKC activation and receptor-G protein coupling in platelets of bipolar manic patients

C.-G. Hahn, Umapathy, H.-Y. Wang, R. Koneru, D.F. Levinson and E. Friedman 355

Volumetric MRI measurement of caudate nuclei in antipsychotic-nave patients suffering from a first episode of psychosis

S. Tauscher-Wisniewski, J. Tauscher, B.K. Christensen, D.J. Mikulis and R.B. Zipursky 365

Association of the serotonin transporter gene polymorphism with Korean male alcoholics

Y.S. Kweon, H.K. Lee, C.T. Lee, K.-U. Lee and C.U. Pae 371

Prevalence and predictors of pathological gambling: results from the St. Louis personality, health and lifestyle (SLPHL) study

R.M. Cunningham-Williams, R.A. Grucza, L.B. Cottler, S.B. Womack, S.J. Books, T.R. Przybeck, E.L. Spitznagel and C.R. Cloninger 377

Cognitive dysfunctions in medicated and unmedicated patients with recent-onset schizophrenia

C. Daban, I. Amado, M.-C. Bourdel, H. Loo, J.-P. Oli, M.-F. Poirier and M.-O. Krebs 391

Obsessive–compulsive disorder (OCD) with schizotypy vs. schizophrenia with OCD: diagnostic dilemmas and therapeutic implications

M. Poyurovsky and L.M. Koran 399

Anxiety disorders in outpatients with schizophrenia: prevalence and impact on the subjective quality of life

R.J. Braga, M.V. Mendlowicz, R.P. Marrocos and I.L. Figueira 409

Stability of DSM-IV criterion symptoms for major depressive disorder

K.L. Minor, J.E. Champion and I.H. Gotlib 415

High prevalence of personality disorders among healthy volunteers for research: implications for control group bias

S.C. Bunce, K.L. Noblett, M.S. McCloskey and E.F. Coccaro 421

Elevated pain threshold in eating disorders: physiological and psychological factors

H. Papcov, A. Yamamotov and R. Uher 431

Clinicians diagnosis of a case with anger problems

E. Lachmund, R. DiGiuseppe and J.R. Fuller 439

Letter to the editor 449

Number 5

Corticosteroid status influences the volume of the rat cingulate cortex – a magnetic resonance imaging study
J.J. Cerqueira, C. Catania, I. Sotiropoulos, M. Schubert, R. Kalisch, O.F.X. Almeida, D.P. Auer and N. Sousa 451

Changes in prefrontal activity characterize clinical response in SSRI nonresponders: a pilot study
I.A. Cook, A.F. Leuchter, M.L. Morgan, W. Stubbeman, B. Siegman and M. Abrams 461

Simultaneous use of thyrotropin-releasing hormone test and combined dexamethasone/corticotropine-releasing hormone test for severity evaluation and outcome prediction in patients with major depressive disorder
K. Isogawa, H. Nagayama, T. Tsutsumi, A. Kiyota, J. Akiyoshi and K. Hieda 467

Lack of association between single nucleotide polymorphisms in the corticotropin releasing hormone receptor 1 (CRHR1) gene and alcohol dependence
J.P. Dahl, G.A. Doyle, D.W. Oslin, R.J. Buono, T.N. Ferraro, F.W. Lohoff and W.H. Berrettini 475

Assessing insomnia severity in depression: comparison of depression rating scales and sleep diaries
R. Manber, C. Blasey, B. Arnow, J.C. Markowitz, M.E. Thase, A.J. Rush, F. Dowling, J. Koscis, M. Trivedi and M.B. Keller 481

Increased delta power and discrepancies in objective and subjective sleep measurements in borderline personality disorder
A. Philipsen, B. Feige, A. Al-Shajlawi, C. Schmahl, M. Bohus, H. Richter, U. Voderholzer, K. Lieb and D. Riemann 489

Poor premorbid social functioning and theory of mind deficit in schizophrenia: evidence of reduced context processing?
L.S. Schenkel, W.D. Spaulding and S.M. Silverstein 499

Physiological responsivity to emotional pictures in schizophrenia
R.J. Hempel, J.H.M. Tulen, N.J.M. van Beveren, H.G. van Steenis, P.G.H. Mulder and M.W. Hengeveld 509

Loss of efferent vagal activity in acute schizophrenia
K.J. Bär, A. Letzsch, T. Jochum, G. Wagner, W. Greiner and H. Sauer 519

What accounts for vertigo one year after neuritis vestibularis – anxiety or a dysfunctional vestibular organ?
F. Godemann, K. Siefert, M. Hantschke-Brüggemann, P. Neu, R. Seidl and A. Ströhle 529

Decline of immune responsiveness: A pathogenetic factor in Alzheimers disease?
E. Richartz, E. Stransky, A. Batra, P. Simon, P. Lewczuk, G. Buchkremer, M. Bartels and K. Schott 535

Increasing leptin precedes craving and relapse during pharmacological abstinence maintenance treatment of alcoholism
F. Kiefer, H. Jahn, C. Otte, C. Demiralay, K. Wolf and K. Wiedemann 545

Number 6

Depression and possible cancer risk due to oxidative DNA damage
M. Irie, M. Miyata and H. Kasai 553

A Cys23–Ser23 substitution in the 5-HT2C receptor gene influences body weight regulation in females with seasonal affective disorder: An Austrian–Canadian collaborative study

N. Praschak-Rieder, M. Willeit, P. Zill, D. Winkler, N. Thierry, A. Konstantinidis, M. Masellis, V.S. Basile, B. Bondy, M. Ackenheil, A. Neumeister, A.S. Kaplan, J.L. Kennedy, S. Kasper and R. Levitan 561

Blood DHEAS concentrations correlate with cognitive function in chronic schizophrenia patients. A pilot study

H. Silver, G. Knoll, V. Isakov, C. Goodman and Y. Finkelstein 569

Relationships of psychiatric disorders with sleep duration in an adult general population sample

U. John, C. Meyer, H.-J. Rumpf and U. Hapke 577

Measuring the executive functions in schizophrenia: The voluntary allocation of effort

M. van Beilen, Ed H. van Zomeren, R.J. van den Bosch, F.K. Withaar and A. Bouma 585

Development of posttraumatic stress disorder in adult bipolar patients with histories of severe childhood abuse

J.F. Goldberg and J.L. Garno 595

Effectiveness of intensive residential treatment (IRT) for severe, refractory obsessive-compulsive disorder

S.E. Stewart, D.E. Stack, C. Farrell, D.L. Pauls and M.A. Jenike 603

Clinical correlates of bipolar disorder in a large, referred sample of children and adolescents

J. Biederman, S.V. Faraone, J. Wozniak, E. Mick, A. Kwon, G.A. Cayton and S.V. Clark 611

Creativity in familial bipolar disorder

D.I. Simeonova, K.D. Chang, C. Strong and T.A. Ketter 623

Erratum to "Inflammatory markers in depressed post-myocardial infarction patients" [J Psychiatric Res 39 (2005) 137–144]

A. Schins, D. Tulner, R. Lousberg, G. Kenis, J. Delanghe, H.J. Crijns, G. Grauls, F. Stassen, M. Maes and A. Honig 633

Erratum to "Full and partial PTSD among earthquake survivors in rural Taiwan" [J Psychiatric Res 38 (2004) 313–322]

T.-J. Lai, C.-M. Chang, K.M. Connor, L.-C. Lee and J.R.T. Davidson 635

List of Contents and Author Index for Volume 39 I